



# Sunpipe®

## SUNPIPE and SUNPIPE LuxLoop (LED) Price List

Issue N° 3






# SUNPIPE® Selection Criteria

## SUNPIPE Size Selection

Area to be Lit (To a Normal Daylight Condition)	SUNPIPE Size
Approx 7.5 m <sup>2</sup> (80 Sq. ft.)	230 mm (9" dia)
Approx 14 m <sup>2</sup> (150 Sq. ft.)	300 mm (12" dia)
Approx 22 m <sup>2</sup> (230 Sq. ft.)	450 mm (18" dia)
Approx 40 m <sup>2</sup> (430 Sq. ft.)	530 mm (21" dia)

## Extension SUNPIPE Calculation

Overall Length ('X')	No. of Extension SUNPIPE
Up to 1200 mm (4 ft)	None
1200 mm (4 ft) to 1800 mm (6 ft)	One
1800 mm (6 ft) to 2400 mm (8 ft)	Two
2400 mm (8 ft) to 3000 mm (10 ft)	Three
3000 mm (10 ft) to 3660 mm (12 ft)	Four
Over 3660 mm (12 ft) add one length per extra 610 mm (2 ft)	



Every kit includes the Slip Length, which is 250 mm (10") long. It is designed to slide over the bottom of the last pipe.

This gives some tolerance and allows for the thickness of the ceiling. The overlap should be in the region of 150 mm (6"), i.e. this gives approximately 100 mm (4") extension on the SUNPIPE length.

The process to choose the correct system for your building application is described below:  
**Please note SUNPIPE LuxLoop is only available for the 300 mm SUNPIPE system.**

**1.** Choose Diamond Dome or Square SUNPIPE:

**Diamond Dome**



**Square SUNPIPE**



**3.** Choose Roof Finish:

**Plain Tile Roof**




**Slate Roof**



**2.** Choose Roof Type:

**Pitched**



**Pitched Gallery**



**Bold Roll Roof**




**Flat Felt/Asphalt Membrane Roof**



**Flat**



**Flat EPDM Rubber Roof**



*\*Contact us for more information on metal roofs.*

4. Choose from our range of ceiling diffusers for SUNPIPE or SUNPIPE LuxLoop:

## SUNPIPE

The following range of diffusers is available for the **SUNPIPE 230mm, 300 mm, 450 mm and 530 mm.**

We offer a high quality product both in terms of aesthetics and installation.

Modern finishes

Quick and secure installation

Tighter fit

Less maintenance

## 4 Stylish options to choose from:

You can choose a **white satin** or **stainless steel bezel**. (**Opaque Glass panel** is only available with stainless steel bezel and for 230 and 300 mm Sunpipe).

**Orion**  
(Curved Microprism)



**Contemporary**  
(Flat Microprism)



**Elite**  
(Flat Frosted Polycarbonate)



**Opaque Glass**  
(Flat)



**Step 1**  
Type of **Bezel** (Colour/Material):

**White Satin**  
(Not available with opaque glass)




**Stainless Steel Metal**



Type of **Diffuser Panel** (Shape/Material):


**Step 2**  
**Shape:**  
Curved (\*Orion only)



**Step 3**  
**Material:**  
Microprism Polycarbonate



**Flat**



**Frosted Polycarbonate**




**Opaque Glass**



\*All diffusers are able to be retrofitted to existing SUNPIPE installations and a new backing template will be provided in all new orders.

5. Choose Control Option for Sunpipe LuxLoop:



**Standard On/Off**

**Smart/Dimmer:** Fully automatic and reactive to illumination and motion.

**Circadian/Halcyon:** Wireless, biologically optimised and fully customisable.

6. Choose Additional/Optional Items

### Additional Items



610 mm  
Pipe Extension



45° Adjustable  
Elbow



30° Adjustable  
Elbow



Integral Light Kit  
50 W Halogen  
including transformer




Motorised Light  
Shut-off Damper


### Specialist Additional Items



Stainless Steel  
Security Screws




Intumescent  
Fire Collar



Fireguard Ceiling  
Diffuser



Soundguard Ceiling  
Diffuser



Stainless Steel  
Security Bars

## SUNPIPE LuxLoop

### Below Ceiling (BC):

Plasterboard and similar. Suitable for all surface mount applications including vertical and horizontal faces. Efficacy up to 83 luminaire lumens per circuit watt.



### In-Ceiling (IC):

Suitable for standard 595 mm x 595 mm suspended ceiling grids. Efficacy up to 90 luminaire lumens per circuit watt.





**\*Note: All prices include carriage**

Pitched Roof SUNPIPE Kits (up to 45°)	Diffusers Options	230 mm (9" dia)	300 mm (12" dia)	450 mm (18" dia)	530 mm (21" dia)
<b>Slate</b> Roof Kit (ABS Flashing Plate)	Orion White	£ 210	£ 241	£ 379	£ 465
	Orion Stainless Steel	£ 255	£ 290	£ 448	£ 554
	Contemporary White	£ 210	£ 241	£ 379	£ 465
	Contemporary St. Steel	£ 255	£ 290	£ 448	£ 554
	Elite White	£ 210	£ 241	£ 379	£ 465
	Elite Stainless Steel	£ 255	£ 290	£ 448	£ 554
	Opaque Glass St. Steel	£ 275	£ 330	NA	NA
	LuxLoop BC On/Off	NA	£ 526	NA	NA
	LuxLoop BC Dimmer	NA	£ 556	NA	NA
	LuxLoop BC Circadian	NA	£ 836	NA	NA
	LuxLoop IC On/Off	NA	£ 481	NA	NA
	LuxLoop IC Dimmer	NA	£ 519	NA	NA
	LuxLoop IC Circadian	NA	£ 691	NA	NA
	<b>Plain Tiled</b> Roof Kit (ABS Flashing Plate with Weathering Skirt)	Orion White	£ 232	£ 246	£ 406
Orion Stainless Steel		£ 275	£ 295	£ 455	£ 540
Contemporary White		£ 232	£ 246	£ 406	£ 491
Contemporary St. Steel		£ 275	£ 295	£ 455	£ 540
Elite White		£ 232	£ 246	£ 406	£ 491
Elite Stainless Steel		£ 275	£ 295	£ 455	£ 540
Opaque Glass St. Steel		£ 294	£ 335	NA	NA
LuxLoop BC On/Off		NA	£ 531	NA	NA
LuxLoop BC Dimmer		NA	£ 561	NA	NA
LuxLoop BC Circadian		NA	£ 841	NA	NA
LuxLoop IC On/Off		NA	£ 486	NA	NA
LuxLoop IC Dimmer		NA	£ 524	NA	NA
LuxLoop IC Circadian		NA	£ 696	NA	NA

Pitched Roof SUNPIPE Kits (up to 45°)	Diffusers Options	230 mm (9" dia)	300 mm (12" dia)	450 mm (18" dia)	530 mm (21" dia)
<b>Bold Rolled Tiled</b> Kit (Code 4 Lead Flashing)	Orion White	£ 326	£ 361	£ 573	£ 684
	Orion Stainless Steel	£ 369	£ 410	£ 622	£ 733
	Contemporary White	£ 326	£ 361	£ 573	£ 684
	Contemporary St. Steel	£ 369	£ 410	£ 622	£ 733
	Elite White	£ 326	£ 361	£ 573	£ 684
	Elite Stainless Steel	£ 369	£ 410	£ 622	£ 733
	Opaque Glass St. Steel	£ 388	£ 450	NA	NA
	LuxLoop BC On/Off	NA	£ 646	NA	NA
	LuxLoop IC Dimmer	NA	£ 467	NA	NA
	LuxLoop BC Circadian	NA	£ 956	NA	NA
	LuxLoop IC On/Off	NA	£ 601	NA	NA
	LuxLoop IC Dimmer	NA	£ 639	NA	NA
	LuxLoop IC Circadian	NA	£ 811	NA	NA
	<b>Metal</b> Roof Kit (Excluding Flashing & Elbow)	Orion White	£ 130	£ 152	£ 216
Orion Stainless Steel		£ 175	£ 201	£ 285	£ 377
Contemporary White		£ 130	£ 152	£ 216	£ 288
Contemporary St. Steel		£ 175	£ 201	£ 285	£ 377
Elite White		£ 130	£ 152	£ 216	£ 288
Elite Stainless Steel		£ 175	£ 201	£ 285	£ 377
Opaque Glass St. Steel		£ 195	£ 241	NA	NA
LuxLoop BC On/Off		NA	£ 437	NA	NA
LuxLoop IC Dimmer		NA	£ 467	NA	NA
LuxLoop BC Circadian		NA	£ 747	NA	NA
LuxLoop IC On/Off		NA	£ 392	NA	NA
LuxLoop IC Dimmer		NA	£ 430	NA	NA
LuxLoop IC Circadian		NA	£ 602	NA	NA

\*Carriage paid applies to UK mainland deliveries 2-3 days from date of order. Overnight rush charge + £25.  
Overseas carriage charges on application. Prices shown do not include VAT. 1.4.12 .  
This price list supersedes all previous price lists.  
Monodraught Ltd reserves the right to alter the materials, specification and prices stated on this price list.

Gallery SUNPIPE	Diffusers Options	230 mm (9" dia)	300 mm (12" dia)	450 mm (18" dia)	530 mm (21" dia)
<b>Gallery Kit Slate Roof</b> (ABS Flashing Plate)	Orion White	£ 143	£ 171	£ 253	£ 318
	Orion Stainless Steel	£ 190	£ 220	£ 322	£ 407
	Contemporary White	£ 143	£ 171	£ 253	£ 318
	Contemporary St. Steel	£ 190	£ 220	£ 322	£ 407
	Elite White	£ 143	£ 171	£ 253	£ 318
	Elite Stainless Steel	£ 190	£ 220	£ 322	£ 407
	Opaque Glass St. Steel	£ 210	£ 260	NA	NA
	LuxLoop BC On/Off	NA	£ 456	NA	NA
	LuxLoop BC Dimmer	NA	£ 486	NA	NA
	LuxLoop BC Circadian	NA	£ 766	NA	NA
	LuxLoop IC On/Off	NA	£ 411	NA	NA
	LuxLoop IC Dimmer	NA	£ 449	NA	NA
	LuxLoop IC Circadian	NA	£ 621	NA	NA
	<b>Gallery Kit Plain Tiled Roof</b> (ABS Flashing Plate with Weathering Skirt)	Orion White	£ 170	£ 190	£ 279
Orion Stainless Steel		£ 213	£ 239	£ 348	£ 433
Contemporary White		£ 170	£ 190	£ 279	£ 344
Contemporary St. Steel		£ 213	£ 239	£ 348	£ 433
Elite White		£ 170	£ 190	£ 279	£ 344
Elite Stainless Steel		£ 213	£ 239	£ 348	£ 433
Opaque Glass St. Steel		£ 232	£ 279	NA	NA
LuxLoop BC On/Off		NA	£ 475	NA	NA
LuxLoop BC Dimmer		NA	£ 515	NA	NA
LuxLoop BC Circadian		NA	£ 785	NA	NA
LuxLoop IC On/Off		NA	£ 430	NA	NA
LuxLoop IC Dimmer		NA	£ 468	NA	NA
LuxLoop IC Circadian		NA	£ 640	NA	NA
<b>Gallery Kit Bold Rolled Tiled</b> (Code 4 Lead Flashing)		Orion White	£ 263	£ 279	£ 455
	Orion Stainless Steel	£ 307	£ 328	£ 524	£ 634
	Contemporary White	£ 263	£ 279	£ 455	£ 545
	Contemporary St. Steel	£ 307	£ 328	£ 524	£ 634
	Elite White	£ 263	£ 279	£ 455	£ 545
	Elite Stainless Steel	£ 307	£ 328	£ 524	£ 634
	Opaque Glass St. Steel	£ 327	£ 368	NA	NA
	LuxLoop BC On/Off	NA	£ 564	NA	NA
	LuxLoop BC Dimmer	NA	£ 385	NA	NA
	LuxLoop BC Circadian	NA	£ 874	NA	NA
	LuxLoop IC On/Off	NA	£ 519	NA	NA
	LuxLoop IC Dimmer	NA	£ 557	NA	NA
	LuxLoop IC Circadian	NA	£ 729	NA	NA

Flat Roof	Diffusers Options	230 mm (9" dia)	300 mm (12" dia)	450 mm (18" dia)	530 mm (21" dia)
<b>Flat Roof Kit</b> (Galvanised Flashing Plate)	Orion White	£ 203	£ 224	£ 306	£ 399
	Orion Stainless Steel	£ 256	£ 273	£ 355	£ 448
	Contemporary White	£ 203	£ 224	£ 306	£ 399
	Contemporary St. Steel	£ 256	£ 273	£ 355	£ 448
	Elite White	£ 203	£ 224	£ 306	£ 399
	Elite Stainless Steel	£ 256	£ 273	£ 355	£ 448
	Opaque Glass St. Steel	£ 278	£ 313	NA	NA
	LuxLoop BC On/Off	NA	£ 509	NA	NA
	LuxLoop BC Dimmer	NA	£ 539	NA	NA
	LuxLoop BC Circadian	NA	£ 819	NA	NA
	LuxLoop IC On/Off	NA	£ 464	NA	NA
	LuxLoop IC Dimmer	NA	£ 502	NA	NA
	LuxLoop IC Circadian	NA	£ 674	NA	NA
	<b>Flat Rubber Roof Kit</b> (EPDM Flashing Plate)	Orion White	NA	£ 325	£ 399
Orion Stainless Steel		NA	£ 374	£ 448	£ 548
Contemporary White		NA	£ 325	£ 399	£ 499
Contemporary St. Steel		NA	£ 374	£ 448	£ 548
Elite White		NA	£ 325	£ 399	£ 499
Elite Stainless Steel		NA	£ 374	£ 448	£ 548
Opaque Glass St. Steel		NA	£ 414	NA	NA
LuxLoop BC On/Off		NA	£ 610	NA	NA
LuxLoop BC Dimmer		NA	£ 640	NA	NA
LuxLoop BC Circadian		NA	£ 920	NA	NA
LuxLoop IC On/Off		NA	£ 565	NA	NA
LuxLoop IC Dimmer		NA	£ 603	NA	NA
LuxLoop IC Circadian		NA	£ 675	NA	NA

\*Flat Roof SUNPIPE Kits include standard 610 mm length.

\*Carriage paid applies to UK mainland deliveries 2-3 days from date of order.  
Overnight rush charge + £25.  
Overseas carriage charges on application. Prices shown do not include VAT. 1.4.12.  
This price list supersedes all previous price lists.  
Monodraught Ltd reserves the right to alter the materials, specification and prices stated on this price list.

Square SUNPIPE	Diffusers Options	230 mm (9" dia)	300 mm (12" dia)	450 mm (18" dia)	530 mm (21" dia)
Includes Rooflight & Transition Unit	Orion White	NA	£ 508	£ 561	NA
	Orion Stainless Steel	NA	£ 557	£ 610	NA
	Contemporary White	NA	£ 508	£ 561	NA
	Contemporary St. Steel	NA	£ 557	£ 610	NA
	Elite White	NA	£ 508	£ 561	NA
	Elite Stainless Steel	NA	£ 557	£ 610	NA
	Opaque Glass St. Steel	NA	£ 597	NA	NA
	LuxLoop BC On/Off	NA	£ 793	NA	NA
	LuxLoop BC Dimmer	NA	£ 951	NA	NA
	LuxLoop BC Circadian	NA	£ 1103	NA	NA
	LuxLoop IC On/Off	NA	£ 827	NA	NA
	LuxLoop IC Dimmer	NA	£ 988	NA	NA
	LuxLoop IC Circadian	NA	£ 1140	NA	NA

\*Square SUNPIPE Kit are sold as basic kits but excluding Flashing Plate and Dome.

\*Rooflight and Transition Units can take 10-14 days to be delivered.

Diffusers (Supply Only)	230 mm (9" dia)	300 mm (12" dia)	450 mm (18" dia)	530 mm (21" dia)
Orion White	£ 47	£ 58	£ 73	£ 86
Orion Stainless Steel	£ 79	£ 88	£ 111	£ 135
Contemporary White	£ 47	£ 58	£ 73	£ 86
Contemporary St. Steel	£ 79	£ 88	£ 111	£ 135
Elite White	£ 47	£ 58	£ 73	£ 86
Elite Stainless Steel	£ 79	£ 88	£ 111	£ 135
Opaque Glass St. Steel	£ 98	£ 100	NA	NA
LuxLoop BC On/Off	NA	£ 285	NA	NA
LuxLoop BC Dimmer	NA	£ 443	NA	NA
LuxLoop BC Circadian	NA	£ 595	NA	NA
LuxLoop IC On/Off	NA	£ 319	NA	NA
LuxLoop IC Dimmer	NA	£ 480	NA	NA
LuxLoop IC Circadian	NA	£ 632	NA	NA

Additional Items	230 mm (9" dia)	300 mm (12" dia)	450 mm (18" dia)	530 mm (21" dia)
Standard Extension 24" (610 mm) Pipe	£ 28	£ 39	£ 50	£ 59
Adjustable 45° Elbow	£ 32	£ 41	£ 84	£ 101
Adjustable 30° Elbow	£ 27	£ 37	£ 64	£ 76
Integral Light Kit 50 W Halogen including transformer	£ 34	£ 34	£ 68	£ 68
Motorised Light Shut-off Damper	£ 221	£ 254	£ 271	£ 316


Specialist Additional Items	230 mm (9" dia)	300 mm (12" dia)	450 mm (18" dia)	530 mm (21" dia)
Stainless Steel Security Screws	£ 19	£ 19	£ 21	£ 24
Intumescent Fire Collar	£ 292	£ 350	£ 523	£ 597
Fireguard Ceiling Diffuser	£ 378	£ 378	£ 444	£ 497
Soundguard Ceiling Diffuser	£ 352	£ 352	£ 390	£ 421
Stainless Steel Security Bars	£ 107	£ 118	£ 133	£ 149


\*Carriage paid applies to UK mainland deliveries 2-3 days from date of order. Overnight rush charge + £25.


Overseas carriage charges on application. Prices shown do not include VAT. 1.4.12 .

This price list supersedes all previous price lists.

Monodraught Ltd reserves the right to alter the materials, specification and prices stated on this price list.

 Halifax House, High Wycombe  
Buckinghamshire, HP12 3SE

 +44 01494 897700

 +44 01494 532465

 [www.monodraught.com](http://www.monodraught.com)

 [info@monodraught.com](mailto:info@monodraught.com)

 Monodraught Ltd

 @MonodraughtLtd @cool\_phase

 Monodraught Ltd